

MODEL	DESCRIPTION	PRICE *USD
Genlock video cards and Software		
Stream Alpha plus PCI-E with Alpha Pro 2.0 software	CG Card with Composite, S-Video in/out; CG software	1440
Stream Alpha plus PCI-E with TELE software	CG Card with Composite, S-Video in/out; playout automation and on-air text and graphics overlay, chromakey	1965
Stream Alpha plus PCI-E with TELE Info software	CG Card with Composite, S-Video in/out; playout automation and on-air text and graphics overlay, chromakey, adjusting and scaling image data, picture-in-picture mode, SMS-chat and voting results output.	2940
Stream Alpha plus YUV PCI-E with Alpha Pro 2.0 software	CG Card with Composite, S-Video in/out & RGB/YUV+Key out; CG software	1530
Stream Alpha plus YUV PCI-E with TELE software	CG Card with Composite, S-Video in/out & RGB/YUV+Key out; playout automation and on-air text and graphics overlay, chromakey	2055
Stream Alpha plus YUV PCI-E with TELE Info software	CG Card with Composite, S-Video in/out & RGB/YUV+Key out; playout automation and on-air text and graphics overlay, chromakey, adjusting and scaling image data, picture-in-picture mode, SMS-chat and voting results output.	3030
Audio Bypass for Stream Alpha plus PCI-E	Relay audio BYPASS card. Provides relay bypass of audio channel. Audio is formed through standard PC Sound Blaster.	75
Stream Audio card for Stream Alpha plus PCI-E	Relay audio BYPASS card. Stereo Line in/out (TRS 1/8'), Balanced in/out (TRS 1/4').	300
Wind SDI with Alpha Pro 2.0 software	CG Card with SDI & Key out, Preview; CG software	1425
Wind SDI with TELE software	CG Card with SDI & Key out, Preview; playout automation and on-air text and graphics overlay, chromakey	1950
Wind SDI with TELE Info software	CG Card with SDI & Key out, Preview; playout automation and on-air text and graphics overlay, chromakey, adjusting and scaling image data, picture-in-picture mode, SMS-chat and voting results output.	2925
Wind SDI II with Alpha Pro 2.0 software	CG Card with SDI in/out & SDI Key out, Preview; CG software	1800
Wind SDI II with TELE software	CG Card with SDI in/out & SDI Key out, Preview; playout automation and on-air text and graphics overlay, chromakey	2325
Wind SDI II with TELE Info software	CG Card with SDI in/out & SDI Key out, Preview; playout automation and on-air text and graphics overlay, chromakey, adjusting and scaling image data, picture-in-picture mode, SMS-chat and voting results output.	3300
Stream Alpha SDI with Alpha Pro 2.0 software	CG Card with Composite, YUV, SDI in/out, analog & SDI Key out; CG software	2925
Stream Alpha SDI with TELE software	CG Card with Composite, YUV, SDI in/out, analog & SDI Key out; playout automation and on-air text and graphics overlay, chromakey	3450
Stream Alpha SDI with TELE Info software	CG Card with Composite, YUV, SDI in/out, analog & SDI Key out; playout automation and on-air text and graphics overlay, chromakey, adjusting and scaling image data, picture-in-picture mode, SMS-chat and voting results output.	4425
Breakout Cable for Stream Alpha SDI	YUV inputs/outputs + Alpha-Key output	200


MODEL	DESCRIPTION	PRICE *USD
Play Out and Production Process Automation Software		
Tele IP	IP broadcast play out automation software	1950
TeleInfo + IP	Play out automation and broadcast design system with IP	2925
Oplan (Production process automation)	Program management , Production Department, Commercial management, Content management, Traffic management, Broadcast automation, Content archive management	2100
PC and 1U servers for Stream Labs cards		
Standard PC # 1	for Alpha Pro / TELE, Please inquire for latest PC and 1U configuration	1350
Standard PC # 2	for Alpha Pro / TELE / TELE Info, Please inquire for latest PC and 1U configuration	1650
1U Server # 1	for Alpha Pro / TELE, Please inquire for latest PC and 1U configuration	2600
1U Server # 2	for Alpha Pro / TELE / TELE Info, Please inquire for latest PC and 1U configuration	3000
Genlock video cards with PlayBox software		
Stream Labs 1U server with AirBox software	Stream Wind SDI I, Stream Wind SDI II	from 5780
Stream Labs 1U server with TitleBox software	Stream Alpha Plus PCI-E, Stream Wind SDI I, Stream Wind SDI II	from 5780
Stream Labs PCI cards with SDK		
Stream Alpha plus PCI-E	CG Card with Composite, S-Video in/out	990
Stream Alpha plus YUV PCI-E	CG Card with Composite, S-Video in/out & RGB+Key out	1110
Wind SDI	CG Card with SDI & Key out, Composite Preview	850
Wind SDI II	CG Card with SDI in/out & SDI Key out, Preview	1400
Stream Alpha SDI	CG Card with Composite, YUV, SDI in/out, analog & SDI Key out	2475
Breakout Cable for Stream Alpha SDI	YUV inputs/outputs + analog Key out	200
Wind SDI HD PCI-E	CG Card with SD/HD SDI in/out & SD/HD SDI Key out, Preview	1750
MS/HD4 PCI-E Multichannel AV signal input card	Number of video capture channels: 4. Number of audio capture channels: 8 of balanced audio signal (4 stereo channels) The card works with analog (CVBS) and digital (SDI) video signals. Uncompressed 8/10-bit SDI video stream capture.	1850
MS/HD8 PCI-E Multichannel AV signal input card	Number of video capture channels: 8. Number of audio capture channels: 16 of balanced audio signal (8 stereo channels) The card works with analog (CVBS) and digital (SDI) video signals. Uncompressed 8/10-bit SDI video stream capture.	3700
FS16 PCI-E, FS 6 PCI analog AV signal input card	Number of multiplex video inputs: 16 . Number of non-multiplex "live" video inputs: 4. Number of audio channels, input: 8. This card can be used as a basis for creating monitoring and TV broadcast recording systems (loggers), multichannel visual TV broadcast monitoring systems (multiviewers), video surveillance systems, etc.	400



A/V Monitoring devices		
Stream MultiScreen 24		7100
Stream MultiScreen 20	Real time multi-channel audio/video signals monitoring system. Video input – Composite, sound – Stereo Line. Two outputs: VGA / DVI / HDMI for monitor's / plasma's connection. RACK 4 U case with redundant power supply. Full LAN control of several devices from any workstation in the network. Alarms: video loss, "frozen video" etc. Daily log file, recording all the events during the current day.	6400
Stream MultiScreen 16		6000
Stream MultiScreen 12		5600
Stream MultiScreen 8		5200
Stream MultiScreen SDI 16	Real time multi-channel audio/video signals monitoring system. Video input – SDI/Composite, sound – embedded audio / Stereo Line. Two outputs: VGA / DVI / HDMI for monitor's / plasma's connection. RACK 4 U case with redundant power supply. Full LAN control of several devices from any workstation in the network. Alarms: video loss, "frozen video" etc. Daily log file, recording all the events during the current day.	9000
Stream MultiScreen SDI 8		6550
Stream MultiScreen TS	Software for MPEG TS monitoring. The indicated price is for 1 channel only . Unlimited number of channels can be programmed on single USB key (4 channels minimum).	200
Stream MS2-ASI capture card	Dual ASI/SDI inputs for PCI-E 1x. Supports DVB-ASI and full-frame SDI video/audio. Low profile.	795
Stream MS4-ASI capture card	Quad ASI/SDI inputs for PCI-E 1x. Supports DVB-ASI and full-frame SDI video/audio.	1195
Test pattern generator		
TPG-8 D	Programmable video signal generator; up to 8 dynamic or static test pattern images; Composite and YUV video outputs.	700
TPG-8 SDI	Programmable video signal generator; Composite, YUV video and SDI outputs.	750
Other Devices		
Meteo sensor	Displaying atmospheric temperature , pressure, humidity data on air. Temperature measurement range: -40 - +85 °C, measurement error: 1 °C, USB port connection. Tele/TeleInfo software compatible.	400
WatchDog USB Timer	Designed for continuous control of the system condition and inspection of its operability. Installed in internal 9-pin USB-controller connector on motherboard; has its own USB-connector and allows to install the application security dongle inside the computer system unit.	70

* - FCA Taiwan (INCOTERMS 2000)

Software Upgrade prices:





STREAM LABS HEADQUARTERS

5A, bldg. 5, Berezovaya alleya
127273, Moscow
Russia
tel/fax: +7 (495) 739-82-42
e-mail: mm@stream-labs.com



STREAM LABS TAIWAN

4F-12, No.36, Tai Yuen St.
Chupei City, 30265
Hsinchu, Taiwan, R.O.C.
tel: +886-3-5600101 (EXT 225)
fax: +886-3-5600202
e-mail: info@stream-labs.com